



Figur 6F

Z	Rembr. Belt w. Riemenbr.	Mat.	Fig.	Best. nr. Part No. Best. Nr.	Dp	De	Df	Dm	Di	F	L	d	Vægt Weight Gewicht
12	9	ST	6F	0125M009N	19,10	17,96	25,0	13,0	-	14,5	20,0	4,0	0,028
	15	ST	6F	0125M015N	19,10	17,96	25,0	13,0	-	20,5	26,0	4,0	0,034
	25	ST	6F	0125M025N	19,10	17,96	25,0	13,0	-	30,5	36,0	4,0	0,050
14	9	ST	6F	0145M009N	22,28	21,14	25,0	13,0	-	14,5	20,0	6,0	0,034
	15	ST	6F	0145M015N	22,28	21,14	25,0	13,0	-	20,5	26,0	6,0	0,046
	25	ST	6F	0145M025N	22,28	21,14	25,0	13,0	-	30,5	36,0	6,0	0,070
15	9	ST	6F	0155M009N	23,87	22,73	28,0	16,0	-	14,5	20,0	6,0	0,042
	15	ST	6F	0155M015N	23,87	22,73	28,0	16,0	-	20,5	26,0	6,0	0,056
	25	ST	6F	0155M025N	23,87	22,73	28,0	16,0	-	30,5	36,0	6,0	0,080
16	9	ST	6F	0165M009N	25,46	24,32	28,0	16,0	-	14,5	20,0	6,0	0,050
	15	ST	6F	0165M015N	25,46	24,32	28,0	16,0	-	20,5	26,0	6,0	0,064
	25	ST	6F	0165M025N	25,46	24,32	28,0	16,0	-	30,5	36,0	6,0	0,100
18	9	ST	6F	0185M009N	28,65	27,51	32,0	19,0	-	14,5	20,0	6,0	0,070
	15	ST	6F	0185M015N	28,65	27,51	32,0	19,0	-	20,5	26,0	6,0	0,086
	25	ST	6F	0185M025N	28,65	27,51	32,0	19,0	-	30,5	36,0	6,0	0,120
20	9	ST	6F	0205M009N	31,83	30,69	36,0	23,0	-	14,5	22,5	6,0	0,094
	15	ST	6F	0205M015N	31,83	30,69	36,0	23,0	-	20,5	26,0	6,0	0,112
	25	ST	6F	0205M025N	31,83	30,69	36,0	23,0	-	30,5	36,0	6,0	0,160
21	9	ST	6F	0215M009N	33,42	32,28	38,0	24,0	-	14,5	22,5	6,0	0,110
	15	ST	6F	0215M015N	33,42	32,28	38,0	24,0	-	20,5	26,0	6,0	0,130
	25	ST	6F	0215M025N	33,42	32,28	38,0	24,0	-	30,5	38,0	6,0	0,190
22	9	ST	6F	0225M009N	35,01	33,87	38,0	25,5	-	14,5	22,5	6,0	0,118
	15	ST	6F	0225M015N	35,01	33,87	38,0	25,5	-	20,5	26,0	6,0	0,140
	25	ST	6F	0225M025N	35,01	33,87	38,0	25,5	-	30,5	38,0	6,0	0,210
24	9	ST	6F	0245M009N	38,20	37,06	42,0	27,0	-	14,5	22,5	6,0	0,145
	15	ST	6F	0245M015N	38,20	37,06	42,0	27,0	-	20,5	28,0	6,0	0,180
	25	ST	6F	0245M025N	38,20	37,06	42,0	27,0	-	30,5	38,0	6,0	0,250
26	9	ST	6F	0265M009N	41,38	40,24	44,0	30,0	-	14,5	22,5	6,0	0,170
	15	ST	6F	0265M015N	41,38	40,24	44,0	30,0	-	20,5	28,0	6,0	0,220
	25	ST	6F	0265M025N	41,38	40,24	44,0	30,0	-	30,5	38,0	6,0	0,300
28	9	ST	6F	0285M009N	44,56	43,42	48,0	30,5	-	14,5	22,5	6,0	0,200
	15	ST	6F	0285M015N	44,56	43,42	48,0	30,5	-	20,5	28,0	6,0	0,250
	25	ST	6F	0285M025N	44,56	43,42	48,0	30,5	-	30,5	38,0	6,0	0,350
30	9	ST	6F	0305M009N	47,75	46,60	51,0	35,0	-	14,5	22,5	6,0	0,236
	15	ST	6F	0305M015N	47,75	46,60	51,0	35,0	-	20,5	28,0	6,0	0,300
	25	ST	6F	0305M025N	47,75	46,60	51,0	35,0	-	30,5	38,0	6,0	0,420
32	9	ST	6F	0325M009N	50,93	49,79	54,0	38,0	-	14,5	22,5	8,0	0,270
	15	ST	6F	0325M015N	50,93	49,79	54,0	38,0	-	20,5	28,0	8,0	0,350
	25	ST	6F	0325M025N	50,93	49,79	54,0	38,0	-	30,5	38,0	8,0	0,480
36	9	ST	6F	0365M009N	57,30	56,16	60,0	38,0	-	14,5	22,5	8,0	0,324
	15	ST	6F	0365M015N	57,30	56,16	60,0	38,0	-	20,5	28,0	8,0	0,520
	25	ST	6F	0365M025N	57,30	56,16	60,0	38,0	-	30,5	38,0	8,0	0,590
40	9	ST	6F	0405M009N	63,66	62,52	71,00	38,0	-	14,5	22,5	8,0	0,400
	15	ST	6F	0405M015N	63,66	62,52	71,00	38,0	-	20,5	28,0	8,0	0,426
	25	ST	6F	0405M025N	63,66	62,52	71,00	38,0	-	30,5	38,0	8,0	0,740




Figur 6W

Z	Rembr. Belt w. Riemenbr.	Mat.	Fig.	Best. nr. Part No. Best. Nr.	Dp	De	Df	Dm	Di	F	L	d	Vægt Weight Gewicht
44	9	AL	6W	0445M009N	70,03	68,89	-	38,0	-	14,5	25,5	8,0	0,170
	15	AL	6W	0445M015N	70,03	68,89	-	38,0	-	20,5	30,0	8,0	0,225
	25	AL	6W	0445M025N	70,03	68,89	-	38,0	-	30,5	40,0	8,0	0,320
48	9	AL	6W	0485M009N	76,39	75,25	-	45,0	-	14,5	25,5	8,0	0,182
	15	AL	6W	0485M015N	76,39	75,25	-	38,0	-	20,5	30,0	8,0	0,187
	25	AL	6W	0485M025N	76,39	75,25	-	38,0	-	30,5	40,0	8,0	0,275
60	9	AL	6W	0605M009N	95,49	94,35	-	45,0	-	14,5	25,5	8,0	0,230
	15	AL	6W	0605M015N	95,49	94,35	-	50,0	-	20,5	30,0	8,0	0,305
	25	AL	6W	0605M025N	95,49	94,35	-	50,0	-	30,5	40,0	8,0	0,435
72	9	AL	6W	0725M009N	114,59	113,45	-	45,0	-	14,5	25,5	8,0	0,270
	15	AL	6W	0725M015N	114,59	113,45	-	50,0	-	20,5	30,0	8,0	0,375
	25	AL	6W	0725M025N	114,59	113,45	-	50,0	-	30,5	40,0	8,0	0,525



Figur 6F

Z	Rembr. Belt w. Riemenbr.	Mat.	Fig.	Best. nr. Part No. Best. Nr.	Dp	De	Df	Dm	Di	F	L	d	Vægt Weight Gewicht
12	9	ST	6F	0125MR009N	19,10	17,96	25,0	13,0	-	14,5	20,0	4,0	0,028
	15	ST	6F	0125MR015N	19,10	17,96	25,0	13,0	-	20,5	26,0	4,0	0,034
	25	ST	6F	0125MR025N	19,10	17,96	25,0	13,0	-	30,5	36,0	4,0	0,050
14	9	ST	6F	0145MR009N	22,28	21,14	25,0	13,0	-	14,5	20,0	6,0	0,034
	15	ST	6F	0145MR015N	22,28	21,14	25,0	13,0	-	20,5	26,0	6,0	0,046
	25	ST	6F	0145MR025N	22,28	21,14	25,0	13,0	-	30,5	36,0	6,0	0,070
15	9	ST	6F	0155MR009N	23,87	22,73	28,0	16,0	-	14,5	20,0	6,0	0,042
	15	ST	6F	0155MR015N	23,87	22,73	28,0	16,0	-	20,5	26,0	6,0	0,056
	25	ST	6F	0155MR025N	23,87	22,73	28,0	16,0	-	30,5	36,0	6,0	0,080
16	9	ST	6F	0165MR009N	25,46	24,32	28,0	16,0	-	14,5	20,0	6,0	0,050
	15	ST	6F	0165MR015N	25,46	24,32	28,0	16,0	-	20,5	26,0	6,0	0,064
	25	ST	6F	0165MR025N	25,46	24,32	28,0	16,0	-	30,5	36,0	6,0	0,100
18	9	ST	6F	0185MR009N	28,65	27,51	32,0	19,0	-	14,5	20,0	6,0	0,070
	15	ST	6F	0185MR015N	28,65	27,51	32,0	19,0	-	20,5	26,0	6,0	0,086
	25	ST	6F	0185MR025N	28,65	27,51	32,0	19,0	-	30,5	36,0	6,0	0,120
20	9	ST	6F	0205MR009N	31,83	30,69	36,0	23,0	-	14,5	22,5	6,0	0,094
	15	ST	6F	0205MR015N	31,83	30,69	36,0	23,0	-	20,5	26,0	6,0	0,112
	25	ST	6F	0205MR025N	31,83	30,69	36,0	23,0	-	30,5	36,0	6,0	0,160
21	9	ST	6F	0215MR009N	33,42	32,28	38,0	24,0	-	14,5	22,5	6,0	0,110
	15	ST	6F	0215MR015N	33,42	32,28	38,0	24,0	-	20,5	26,0	6,0	0,130
	25	ST	6F	0215MR025N	33,42	32,28	38,0	24,0	-	30,5	38,0	6,0	0,190
22	9	ST	6F	0225MR009N	35,01	33,87	38,0	25,5	-	14,5	22,5	6,0	0,118
	15	ST	6F	0225MR015N	35,01	33,87	38,0	25,5	-	20,5	26,0	6,0	0,140
	25	ST	6F	0225MR025N	35,01	33,87	38,0	25,5	-	30,5	38,0	6,0	0,210
24	9	ST	6F	0245MR009N	38,20	37,06	42,0	27,0	-	14,5	22,5	6,0	0,145
	15	ST	6F	0245MR015N	38,20	37,06	42,0	27,0	-	20,5	28,0	6,0	0,180
	25	ST	6F	0245MR025N	38,20	37,06	42,0	27,0	-	30,5	38,0	6,0	0,250
26	9	ST	6F	0265MR009N	41,38	40,24	44,0	30,0	-	14,5	22,5	6,0	0,170
	15	ST	6F	0265MR015N	41,38	40,24	44,0	30,0	-	20,5	28,0	6,0	0,220
	25	ST	6F	0265MR025N	41,38	40,24	44,0	30,0	-	30,5	38,0	6,0	0,300
28	9	ST	6F	0285MR009N	44,56	43,42	48,0	30,5	-	14,5	22,5	6,0	0,200
	15	ST	6F	0285MR015N	44,56	43,42	48,0	30,5	-	20,5	28,0	6,0	0,250
	25	ST	6F	0285MR025N	44,56	43,42	48,0	30,5	-	30,5	38,0	6,0	0,350
30	9	ST	6F	0305MR009N	47,75	46,60	51,0	35,0	-	14,5	22,5	6,0	0,236
	15	ST	6F	0305MR015N	47,75	46,60	51,0	35,0	-	20,5	28,0	6,0	0,300
	25	ST	6F	0305MR025N	47,75	46,60	51,0	35,0	-	30,5	38,0	6,0	0,420
32	9	ST	6F	0325MR009N	50,93	49,79	54,0	38,0	-	14,5	22,5	8,0	0,270
	15	ST	6F	0325MR015N	50,93	49,79	54,0	38,0	-	20,5	28,0	8,0	0,350
	25	ST	6F	0325MR025N	50,93	49,79	54,0	38,0	-	30,5	38,0	8,0	0,480
36	9	ST	6F	0365MR009N	57,30	56,16	60,0	38,0	-	14,5	22,5	8,0	0,324
	15	ST	6F	0365MR015N	57,30	56,16	60,0	38,0	-	20,5	28,0	8,0	0,520
	25	ST	6F	0365MR025N	57,30	56,16	60,0	38,0	-	30,5	38,0	8,0	0,590
40	9	ST	6F	0405MR009N	63,66	62,52	71,00	38,0	-	14,5	22,5	8,0	0,400
	15	ST	6F	0405MR015N	63,66	62,52	71,00	38,0	-	20,5	28,0	8,0	0,426
	25	ST	6F	0405MR025N	63,66	62,52	71,00	38,0	-	30,5	38,0	8,0	0,740



Figur 6W

Z	Rembr. Belt w. Riemenbr.	Mat.	Fig.	Best. nr. Part No. Best. Nr.	Dp	De	Df	Dm	Di	F	L	d	Vægt Weight Gewicht
44	9	AL	6W	0445MR009N	70,03	68,89	-	38,0	-	14,5	25,5	8,0	0,170
	15	AL	6W	0445MR015N	70,03	68,89	-	38,0	-	20,5	30,0	8,0	0,225
	25	AL	6W	0445MR025N	70,03	68,89	-	38,0	-	30,5	40,0	8,0	0,320
48	9	AL	6W	0485MR009N	76,39	75,25	-	45,0	-	14,5	25,5	8,0	0,182
	15	AL	6W	0485MR015N	76,39	75,25	-	38,0	-	20,5	30,0	8,0	0,187
	25	AL	6W	0485MR025N	76,39	75,25	-	38,0	-	30,5	40,0	8,0	0,275
60	9	AL	6W	0605MR009N	95,49	94,35	-	45,0	-	14,5	25,5	8,0	0,230
	15	AL	6W	0605MR015N	95,49	94,35	-	50,0	-	20,5	30,0	8,0	0,305
	25	AL	6W	0605MR025N	95,49	94,35	-	50,0	-	30,5	40,0	8,0	0,435
72	9	AL	6W	0725MR009N	114,59	113,45	-	45,0	-	14,5	25,5	8,0	0,270
	15	AL	6W	0725MR015N	114,59	113,45	-	50,0	-	20,5	30,0	8,0	0,375
	25	AL	6W	0725MR025N	114,59	113,45	-	50,0	-	30,5	40,0	8,0	0,525